

Style Specifications – Contour Plank Series

All floors shown or listed in this specification shall be Contour Plank Series by Centiva, Florence AL 35630

Specific product shall be		C				in size 6" x 36"
St	yle	Color	Series	Surface	Edge	

The Centiva Contour Plank Series shall be constructed with a .032" high density wear layer. Al products shall have an overall gauge of .120" (3mm) nominal. See indivual product specification for sizes offered in each line. The resilient tile shall be manufactured in accordance with ASTM Standard Specification F-1700 and shall be asbestos free. All products shall have a Commercial Limited 20 year Wear Warranty and Residential Lifetime Wear Warranty. The adhesive shall be CENTI 60000 SP. Installation shall be in accordance with the latest Centiva Installation Guidelines found at www.Centiva.com by a qualified installer with a minimum of 3 projects completed and approved by the owners.

CONTOUR PLANK: See complete sample book for current colors, surface texture and designs.

Size: Edge:	ASTM F 1700 Class III Solid Vinyl Tile Multiple layers with backing which contains pre and post consumer material .120"/3mm (nominal) ess: .032" clear; rigid density PVC 6" x 36" select square or slight bevel					
Surface Texture:	Frost (FR), Natural Grain (NG), Rough (RG), Sawn (SW) Tick (TK) Recommended surface for each product is shown on sample in sample book					
Standard Colors:	Products are shown on sample in sample book					
Warranty:	20 years Commercial, Lifetime Residential					
Recycling:	suitable					
Test Performance:	ASTM E 648	Critical Radiant Flux	Class I CRG > 0.45			
	ASTM E 662	Smoke Density	< 450; good			
	ASTM 925	Chemical Resistance	Excellent			
	Slip Resistance	ASTM C 1028	very good (textures)			
		ASTM D 2047	passes			
		ADA compliant	FTC Slip Resistant Classified Product			
INSTALLATION: Refer to the latest Centiva Installation instructions at <u>www.centiva.com</u>						
SUB FLOOR PREPARATION: Refer to the latest Centiva Installation instructions at <u>www.centiva.com</u>						
SITE CONDITIONS: Refer to the latest Centiva Installation instructions at <u>www.centiva.com</u>						
PREPARATION:	Refer to the latest Centiva Installation instructions at <u>www.centiva.com</u>					
CLEANING AND MAINTENANCE: Refer to the latest Centiva Maintance Instructions at www.centiva.com						
SUBMITTALS:	SUBMITTALS: Provide current informational submittals, guidelines and other documentation as published by Centiva					

1701 Mars Hills Road, Florence AL USA 35630 1.888.centiva - Tel: 256-767-4990 Fax: 256-760-1763 www.centiva.com