



- NOTES:**
- BURIED UTILITIES ARE LOCATED AT THE SITE. CONTACT ARKANSAS ONE CALL & WHERE APPROPRIATE THE UTILITY COMPANIES PRIOR TO DIGGING.
 - ALL UNRESTRAINED WATER LINE FITTINGS SHALL BE INSTALLED WITH A CONCRETE THRUST BLOCK FOR JOINT RESTRAINT.
 - WORK ON EXISTING ROADS SHALL INCLUDE WARNING SIGNS & BARRICADES IN ACCORDANCE WITH THE REQUIREMENTS OF THE STATE, COUNTY, OR CITY HAVING JURISDICTION. OTHER SIGNS & DEVICES, SUCH AS PLATING, SHALL BE PLACED AS REQUIRED TO ADEQUATELY PROTECT THE PUBLIC.
 - ALL SEWER LINE CONSTRUCTION SHALL COMPLY WITH CITY OF BRYANT STANDARD SPECIFICATIONS & DETAILS.
 - ALL WATER LINE CONSTRUCTION SHALL COMPLY WITH SALEM WATER USERS STANDARD SPECIFICATIONS & DETAILS.
 - MAINTAIN 10 FEET OF HORIZONTAL SEPARATION BETWEEN WATER & SEWER LINES.



| | |
|--|--------------------|
| BY | GPW |
| REVISION | PER CITY OF BRYANT |
| DATE | 06/17/22 |
| Designing our client's success GarNat Engineering, LLC 3825 Mt. Carmel Rd Bryant, AR 72022 garnatengineering@gmail.com | |
| BENJAMIN GROVE SUBDIVISION, PHASE 4 FOR: THOMAS D.B. COLLINS, LTD. CITY OF BRYANT SALINE COUNTY, ARKANSAS | |
| RECORD DRAWING | |
| CONTENTS: OVERALL WATER AND SEWER PLAN | |
| PROJECT NO: | 16025 |
| DATE: | MAY 27, 2022 |
| SHEET NO: | C1.0 |

A:\Projects\2021 Projects\16025 Benjamin Grove Subdivision\Phase 4\16025-ARB-Benjamin Grove Phase 4-WATER & SEWER PLAN R1.dwg