

LAND DESCRIPTION:

A part of the Southeast Quarter of the Southeast Quarter of Section 20, Township 1 South, Range 14 West, Saline County, Arkansas, described as follows: Commencing at a #4 rebar marking the Southeast corner of Section 20, Township 1 South, Range 14 West; thence North 87 deg. 39 min. 39 sec. West (measured North 87 deg. 53 min. 51 sec. West) along the South line of said Section 20 a distance of 216.77 feet to a point on the Westerly right-of-way line of Springhill Road Crossover as established by AHTD Job #060711 said point being the point of beginning; thence continue North 87 deg. 40 min. 16 sec. West (measured North 87 deg. 53 min. 51 sec. West) along the South line of said Section 20 for 40.89 feet to a rebar with cap #568, said point also being the Southwest comer of land described in Document Number 2004-073448, records of Saline County, Arkansas; thence North 05 deg. 11 min. 29 sec. West (measured North 05 deg. 25 min. 41 sec. West) along the West line of land described in Document Number 2004-073448 for 467.18 feet; thence North 60 deg. 20 min. 26 sec. East 149.95 feet; thence South 53 deg. 05 min. 43 sec. East 53.18 feet; thence South 00 deg. 02 min. 31 sec. West 140.95 feet to a point on the Westerly right-of-way line of Springhill Road Crossover as established by AHTD Job #060711; thence along said Westerly right-of-way line of Springhill Road Crossover as established by AHTD Job #060711 the following courses: thence South 13 deg. 12 min. 03 sec. West (measured South 12 deg. 57 min. 52 sec. West) 158.40 feet; thence South 30 deg. 03 min. 32 sec. West (measured South 29 deg. 49 min. 21 sec. West) 122.38 feet; thence South 25 deg. 56 min. 09 sec. West (measured South 25 deg. 41 min. 57 sec. West) 171.72 feet to the point of beginning, containing 2.21 acres, more

VICINITY MAP

(NTS)

GENERAL NOTES

- BASIS OF BEARING FOR THIS SURVEY IS ARKANSAS STATE PLANE GRID SOUTH. DISTANCES SHOWN ARE GROUND DISTANCES.
- REFERENCES: A. SURVEY BY GARNAT ENGINEERING FOR MERCHANTS AND FARMERS BANK DATED
- B. SURVEY BY RASBURRY SURVEYING FOR MERCHANTS & FARMERS BANK DATED 3-9-16.

CERTIFICATION

BRYANT, AR

- SITE LOCATION

I HEREBY CERTIFY THAT THE ABOVE PLAT REPRESENTS A SURVEY MADE BY ME OR UNDER MY SUPERVISION ON THIS DAY AND THAT ALL CORNERS ARE SET AS SHOWN. NO INDEPENDENT SEARCH FOR EASEMENTS, COVENANTS, ENCUMBRANCES, OR ANY OTHER FACTS WHICH AN ACCURATE TITLE SEARCH MAY DISCLOSE WAS PERFORMED.

ZANE ROBBINS, AR PLS #1853

U1. UTILITIES SHOWN ON THIS SURVEY ARE NOTED BY VISIBLE OBSERVATION ONLY. LOCATION OF UNDERGROUND UTILITIES SHOWN ON THIS SURVEY MUST BE CONSIDERED TO BE APPROXIMATE AS NO EXCAVATION HAS TAKEN PLACE AS OF THIS DATE TO DETERMINE THEIR EXACT LOCATION. OTHER UTILITIES, TO WHICH THE EXISTENCE AND LOCATION ARE UNKNOWN, MAY BE LOCATED ON OR NEAR THE SUBJECT PROPERTY.

UTILITY NOTES

CERTIFICATE OF SURVEY ACCURACY

I, ZANE ROBBINS, HEREBY CERTIFY THAT THIS PLAT CORRECTLY REPRESENTS A BOUNDARY SURVEY MADE OR VERIFIED BY ME. THAT ALL SURVEYING REQUIREMENTS OF THE STATE OF ARKANSAS AND CITY OF BRYANT SUBDIVISION RULES AND REGULATIONS HAVE BEEN COMPLIED WITH AND FILED FOR RECORD AS REQUIRED.

DATE OF EXECUTION

REGISTERED PROFESSIONAL LAND SURVEYOR NO. 1853 ARKANSAS

WE, THE UNDERSIGNED, OWNERS OF THE REAL ESTATE SHOWN AND DESCRIBED HEREIN, DO HEREBY CERTIFY THAT WE HAVE LAID OFF, PLATTED AND SUBDIVIDED, AND DO HEREBY LAY OFF, PLAT AND SUBDIVIDE SAID

CERTIFICATE OF OWNER

REAL ESTATE IN ACCORDANCE WITH THIS PLAT. DATE OF EXECUTION _____

SOURCE OF TITLE: INSTRUMENT No.

CERTIFICATE OF ENGINEERING ACCURACY

I, PHILLIP A. LEWIS, HEREBY CERTIFY THAT THIS PLAT CORRECTLY REPRESENTS A PLAT MADE BY ME, AND THAT ENGINEERING REQUIREMENTS OF THE CITY OF BRYANT SUBDIVISION RULES AND REGULATIONS HAVE BEEN COMPLIED WITH.

DATE OF EXECUTION

REGISTERED PROFESSIONAL ENGINEER

NO. 9540 ARKANSAS

CERTIFICATE OF FINAL PLAT APPROVAL

ALL REQUIREMENTS OF THE BRYANT SUBDIVISION RULES AND REGULATIONS RELATIVE TO THE PREPARATION AND SUBMITTAL TO A FINAL PLAT HAVE BEEN FULFILLED, APPROVAL OF THIS PLAT IS HEREBY GRANTED, SUBJECT TO FURTHER PROVISIONS OF SAID RULES AND REGULATIONS.


DATE OF EXECUTION

BRYANT PLANNING COMMISSION CHAIRMAN

BY GRAPHIC PLOTTING ALONE, ACCORDING TO FEMA FIRM

ZONE X, AREAS OF MINIMAL FLOOD HAZARD.

#05125C0360E, DATED JUNE 5, 2020, THIS PROPERTY LIES IN




PROPERTY ADDRESS SPRINGHILL ROAD BRYANT, AR.

REVISIONS

SUBDIVISION ROBBINS PROFESSIONAL LAND SERVICE

1 of 1

ZONED C-3





Vicinity Map

SCALE 1" = 500'

GENERAL SITE NOTES

- TOTAL NEW DEVELOPMENT AREA = (+/-) 1.12 ACRES
- 2. PROPERTY IS ZONED C-2
 3. 43 PARKING SPACES PROVIDED INCLUDING 2 ADA ACCESSIBLE PARKING SPACES
 4. ALL DIMENSIONS ARE TO THE BACK OF CURB AND/OR EDGE OF DAY/EMENT
- 4. ALL DIMENSIONS ARE TO THE BACK OF CURB AND/OR EDGE OF PAVEMENT
 5. DAMAGE TO PUBLIC AND PRIVATE PROPERTY DUE TO HAULING OPERATIONS OR
 OPERATIONS OF CONSTRUCTION RELATED EQUIPMENT FROM A CONSTRUCTION SITE
 SHALL BE REPAIRED BY THE THE RESPONSIBLE PARTY PRIOR TO THE ISSUANCE OF A
- CERTIFICATE OF OCCUPANCY.

 6. REPAIR, REPLACE, OR EXTEND EXISTING DAMAGED OR MISSING CURB AND GUTTER, SIDEWALK OR RAMPS WITHIN THE PUBLIC RIGHT OF WAY.
- 7. ALL SIGNAGE, PAVEMENT MARKING AND PARKING LOT STRIPING SHALL CONFORM TO REQUIREMENTS GIVEN IN MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD). MUTCD REQUIRES THAT PARKING SPACES BE MARKED IN WHITE.

PARKING CALCULATIONS


ZONING = C-2

REQUIREMENT = 1 SPACE PER 200 SQ. FT BUILDING AREA = 8,000 SQ. FT.

TOTAL REQUIRED SPACES = 40 TOTAL PROVIDED SPACES = 43


GENERAL CONSTRUCTION NOTES

- A. THE CONTRACTOR WILL BE HELD SOLELY RESPONSIBLE FOR DAMAGES OCCURRING TO ANY PROPERTY DURING THE CONSTRUCTION OF THIS PROJECT. SAID CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PREVENT PROPERTY DAMAGE.
 - B. IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL SOLELY AND COMPLETELY BE RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND WILL NOT BE LIMITED TO NORMAL WORKING
- C. THE DUTY OF BRYANT UTILITIES TO CONDUCT CONSTRUCTION INSPECTION REVIEWS OF THE CONTRACTOR'S PERFORMANCE IS NOT AN INSPECTION OR REVIEW OF THE ADEQUACY OF THE CONTRACTOR'S
- D. ALL WATER AND SEWER IMPROVEMENTS SHALL BE CONSTRUCTED IN
- D. ALL WATER AND SEWER IMPROVEMENTS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE LATEST REVISION TO THE CITY OF BRYANT'S WATER AND WASTEWATER (SANITARY SEWER) STANDARD SPECIFICATIONS.
- E. THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE APPROPRIATE UTILITY COMPANY AT LEAST 48 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATION OF ALL UTILITIES. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ALL EXISTING UTILITIES WHICH CONFLICT WITH PROPOSED IMPROVEMENTS SHOWN ON THE PLAN.
- CONTRACTOR IS TO REMOVE AND DISPOSE OF ALL DEBRIS, RUBBISH, AND OTHER MATERIALS RESULTING FROM PREVIOUS AND CURRENT DEMOLITION OPERATIONS. DISPOSAL WILL BE IN ACCORDANCE WITH ALL LOCAL, STATE AND/OR FEDERAL REGULATIONS GOVERNING SUCH OPERATIONS.
- G. PRIOR TO INSTALLATION OF ANY UTILITIES, THE CONTRACTOR IS TO EXCAVATE, VERIFY AND CALCULATE ALL CROSSINGS AND INFORM ANY AND ALL UTILITIES OF ANY CONFLICTS PRIOR TO CONSTRUCTION.
- H. CONSTRUCTION SHALL NOT START ON ANY WATER UTILITY TIE-INS UNTIL APPROVAL IS GIVEN BY BRYANT UTILITIES. SAID CONTRACTOR SHALL NOT OPERATE ANY VALVE, HYDRANT, OR WATER UTILITY APPURTENANCE NOR SHALL HE ATTACH TO OR TAP ANY WATER UTILITY MAIN WITHOUT APPROVAL. THE CONTRACTOR SHALL BEAR THE COST AND CONSEQUENCE OF ANY DISRUPTION OF UTILITY OPERATION CAUSED BY CONSTRUCTION.
- I. FIBER OPTIC CABLE ON AND/OR ADJACENT TO THIS SITE WERE NOT LOCATED BY THE SURVEY AND ARE NOT SHOWN. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ANY FIBER OPTIC CABLES ASSOCIATED WITH THIS SITE AND TAKE ALL NECESSARY AND REQUIRED PRECAUTIONS TO PROTECT ANY EXISTING FIBER OPTIC CABLES. CONTRACTORS SHALL COORDINATE ALL EFFORTS WITH OWNER OF FIBER OPTIC CABLES OR THEIR DESIGNATED REPRESENTATIVE.
- J. THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING "ONECALL" SERVICE TO MARK ALL UTILITIES PRIOR TO ANY DEMOLITION, EARTHWORK, OR UTILITY WORK ON THIS SITE.



2'-0" CONCRETE CURB & GUTTER

NOT TO SCALE




CONCRETE WALK SECTION

INTS TO BE STEEL TROWELED, ALL JOINT EDGES AND SHALL BE SPACED AT

NOTE:

1. ALL SIDEWALK JOINTS TO BE STEEL TROWELED. ALL JOINT EDGES AND SHALL BE SPACED AT
5 FEET ON CENTER MAXIMUM IN ALL DIRECTIONS AND SHALL BE STEEL TROWELED ON A
RADIUS NOT TO EXCEED ONE-HALF INCH.
2. CONTRACTOR RESPONSIBLE FOR ENSURING ADA COMPLIANT RUNNING & CROSS SLOPES.
SPOT GRADES SHOWN ON ENGINEERING PLANS SHOW BEST INTENT WITH AVAILABLE INFORMATION.



HMAC ASPHALT SURFACE COURSE MEDIUM DUTY

NOT TO SCALE

0 2

PROJECT NUMBER:

SHEET ISSUE DATE: 05-22-2024


SITE PLAN

HEET NUMBER:


REVISION:

ENGINEERING,

PHILLIP



ENGINEERING,



REVISION:


PROJECT NUMBER:

05-22-2024


GRADING

PLAN

HEET NUMBER:



EWIS ENGINEERING, tural + Civil Consultants



REVISION:

PHILLIP

IILL RETAIL


PROJECT NUMBER:


SHEET ISSUE DATE: 05-22-2024


GE TITLE:

STORM DRAINAGE PLAN

HEET NUMBER:







GENERAL CONSTRUCTION NOTES

- A. THE CONTRACTOR WILL BE HELD SOLELY RESPONSIBLE FOR DAMAGES OCCURRING TO ANY PROPERTY DURING THE CONSTRUCTION OF THIS PROJECT. SAID CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PREVENT PROPERTY DAMAGE.
 - B. IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL SOLELY AND COMPLETELY BE RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND WILL NOT BE LIMITED TO NORMAL WORKING

ENGINEERING,

PHILLIP

REVISION:

- C. THE DUTY OF BRYANT UTILITIES TO CONDUCT CONSTRUCTION INSPECTION REVIEWS OF THE CONTRACTOR'S PERFORMANCE IS NOT AN INSPECTION OR REVIEW OF THE ADEQUACY OF THE CONTRACTOR'S SAFETY MEASURES IN, ON, OR NEAR THE CONSTRUCTION SITE.
- D. ALL WATER AND SEWER IMPROVEMENTS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE LATEST REVISION TO THE CITY OF BRYANT'S

WATER AND WASTEWATER (SANITARY SEWER) STANDARD SPECIFICATIONS.

- E. THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE APPROPRIATE UTILITY COMPANY AT LEAST 48 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATION OF ALL UTILITIES. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ALL EXISTING UTILITIES WHICH CONFLICT WITH PROPOSED IMPROVEMENTS SHOWN ON THE PLAN.
- CONTRACTOR IS TO REMOVE AND DISPOSE OF ALL DEBRIS, RUBBISH, AND OTHER MATERIALS RESULTING FROM PREVIOUS AND CURRENT DEMOLITION OPERATIONS. DISPOSAL WILL BE IN ACCORDANCE WITH ALL LOCAL, STATE
- AND/OR FEDERAL REGULATIONS GOVERNING SUCH OPERATIONS. PRIOR TO INSTALLATION OF ANY UTILITIES, THE CONTRACTOR IS TO EXCAVATE, VERIFY AND CALCULATE ALL CROSSINGS AND INFORM ANY AND
- H. CONSTRUCTION SHALL NOT START ON ANY WATER UTILITY TIE-INS UNTIL APPROVAL IS GIVEN BY BRYANT UTILITIES. SAID CONTRACTOR SHALL NOT OPERATE ANY VALVE, HYDRANT, OR WATER UTILITY APPURTENANCE NOR SHALL HE ATTACH TO OR TAP ANY WATER UTILITY MAIN WITHOUT APPROVAL. THE CONTRACTOR SHALL BEAR THE COST AND CONSEQUENCE OF ANY DISRUPTION OF UTILITY OPERATION CAUSED BY CONSTRUCTION.

ALL UTILITIES OF ANY CONFLICTS PRIOR TO CONSTRUCTION.


- FIBER OPTIC CABLE ON AND/OR ADJACENT TO THIS SITE WERE NOT LOCATED BY THE SURVEY AND ARE NOT SHOWN. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ANY FIBER OPTIC CABLES ASSOCIATED WITH THIS SITE AND TAKE ALL NECESSARY AND REQUIRED PRECAUTIONS TO PROTECT ANY EXISTING FIBER OPTIC CABLES. CONTRACTORS SHALL COORDINATE ALL EFFORTS WITH OWNER OF FIBER OPTIC CABLES OR THEIR DESIGNATED REPRESENTATIVE.
- THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING "ONECALL" SERVICE TO MARK ALL UTILITIES PRIOR TO ANY DEMOLITION, EARTHWORK, OR UTILITY WORK ON THIS SITE.

WATER AND SEWER LINES BEDDING DETAIL

TO 95% STANDARD PROCTOR DENSITY.

NOT TO SCALE


- 1. BEDDING SHALL BE "GRIT" PER ASTM 2774 OR ASTM D448 SIZE 67 A MINIMUM OF 6" ALL AROUND PIPE.
 2. INITIAL BACKFILL NOT UNDER PAVED AREAS CAN BE CLASS III COMPACTED TO 90% STANDARD PROCTOR. ALL BACKFILL UNDER PAVED AREAS SHALL BE CLASS 7 CRUSHED STONE (SB-2) COMPACTED
- 3. ALL MATERIALS ARE CLASSIFIED IN ACCORDANCE WITH ASTM D2321-89. 4. ALL MATERIALS SHALL BE INSTALLED IN MAXIMUM 8" LIFTS IN ACCORDANCE WITH ASTM D698. CLASS III AND IV-A MATERIALS SHALL BE COMPACTED TO NEAR OPTIMUM MOISTURE CONTENT.
- 6. FILL SALVAGED FROM EXCAVATION SHALL BE FREE OF DEBRIS, ORGANICS, AND ROCKS LARGER THAN 3". 7. ALL TRENCH EXCAVATIONS SHALL BE SLOPED, SHORED, SHEETED, BRACED, OR OTHERWISE SUPPORTED IN COMPLIANCE WITH OSHA REGULATIONS AND LOCAL ORDINANCES.




GAS LINE BEDDING DETAIL

NOT TO SCALE

- BEDDING SHALL BE "GRIT" PER ASTM 2774 OR ASTM D448 SIZE 67 A MINIMUM OF 6" ALL AROUND PIPE.
 BEDDING SHALL BE CLEAN SAND A MINIMUM OF 6" ALL AROUND PIPE.
- 2. INITIAL BACKFILL NOT UNDER PAVED AREAS CAN BE CLASS III COMPACTED TO 90% STANDARD PROCTOR. ALL BACKFILL UNDER PAVED AREAS SHALL BE CLASS 7 CRUSHED STONE (SB-2) COMPACTED
- TO 95% STANDARD PROCTOR DENSITY. 3. ALL MATERIALS CLASSIFIED IN ACCORDANCE WITH ASTM D2321-89.
- 4. ALL MATERIALS SHALL BE INSTALLED IN MAXIMUM 8" LIFTS IN ACCORDANCE WITH ASTM D698. CLASS III AND IV-A MATERIALS SHALL BE COMPACTED TO NEAR OPTIMUM MOISTURE CONTENT.
- 5. FILL SALVAGED FROM EXCAVATION SHALL BE FREE OF DEBRIS, ORGANICS, AND ROCK LARGER THAN 3". 6. ALL TRENCH EXCAVATION SHALL BE SLOPED, SHORED, SHEETED, BRACED, OR OTHERWISE SUPPORTED
- IN COMPLIANCE WITH OSHA REGULATIONS AND LOCAL ORDINANCES.



THROUGH FLOW CLEANOUT



PROJECT NUMBER:

05-22-2024

UTILITY PLAN

HEET NUMBER:

LANDSCAPE PLAN


GENERAL CONSTRUCTION NOTES

- A. THE CONTRACTOR WILL BE HELD SOLELY RESPONSIBLE FOR DAMAGES OCCURRING TO ANY PROPERTY DURING THE CONSTRUCTION OF THIS PROJECT. SAID CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PREVENT PROPERTY DAMAGE.
- B. IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL SOLELY AND COMPLETELY BE RESPONSIBLE FOR CONDITIONS OF THE JOB SITE, INCLUDING SAFETY WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND WILL NOT BE LIMITED TO NORMAL WORKING
 - C. THE DUTY OF BRYANT UTILITIES TO CONDUCT CONSTRUCTION INSPECTION REVIEWS OF THE CONTRACTOR'S PERFORMANCE IS NOT AN INSPECTION OR REVIEW OF THE ADEQUACY OF THE CONTRACTOR'S SAFETY MEASURES IN, ON, OR NEAR THE CONSTRUCTION SITE.
 - D. ALL WATER AND SEWER IMPROVEMENTS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE LATEST REVISION TO THE CITY OF BRYANT'S

WATER AND WASTEWATER (SANITARY SEWER) STANDARD SPECIFICATIONS.

- E. THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE APPROPRIATE UTILITY COMPANY AT LEAST 48 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATION OF ALL UTILITIES.
- F. CONTRACTOR IS TO REMOVE AND DISPOSE OF ALL DEBRIS, RUBBISH, AND OTHER MATERIALS RESULTING FROM PREVIOUS AND CURRENT DEMOLITION OPERATIONS. DISPOSAL WILL BE IN ACCORDANCE WITH ALL LOCAL, STATE
- G. PRIOR TO INSTALLATION OF ANY UTILITIES, THE CONTRACTOR IS TO EXCAVATE, VERIFY AND CALCULATE ALL CROSSINGS AND INFORM ANY AND
- APPROVAL IS GIVEN BY BRYANT UTILITIES. SAID CONTRACTOR SHALL NOT OPERATE ANY VALVE, HYDRANT, OR WATER UTILITY APPURTENANCE NOR SHALL HE ATTACH TO OR TAP ANY WATER UTILITY MAIN WITHOUT APPROVAL. THE CONTRACTOR SHALL BEAR THE COST AND CONSEQUENCE OF ANY DISRUPTION OF UTILITY OPERATION CAUSED BY CONSTRUCTION.
- BY THE SURVEY AND ARE NOT SHOWN. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ANY FIBER OPTIC CABLES ASSOCIATED WITH THIS SITE AND TAKE ALL NECESSARY AND REQUIRED PRECAUTIONS TO PROTECT ANY EXISTING FIBER OPTIC CABLES. CONTRACTORS SHALL COORDINATE ALL EFFORTS WITH OWNER OF FIBER OPTIC CABLES OR THEIR DESIGNATED REPRESENTATIVE.
- THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING "ONECALL" SERVICE TO MARK ALL UTILITIES PRIOR TO ANY DEMOLITION, EARTHWORK, OR UTILITY WORK ON THIS SITE.

PLANT SCHEDULE						
PLANT TYPE	SYMBOL	CODE	QTY	COMMON	SCIENTIFIC NAME	CAL / SIZE
TREES		WO	4	WILLOW OAK	QUERCUS PHELLOS	MIN. 3" DIAMETER @ BASE AND 12' TALL
SHRUBS	⇔	BW	10	BOXWOOD	BUSUS SEMPERVIRENS	5 GAL (MAX 30" TALL AT INSTALLATION)
GROUND COVER	⊗	DN	25	DWARF NANDINA	N. DOMESTICA "HARBOUR DWARF"	3 GAL
BEDDING		MU	1,530	MULCH		
GRASS		MU	10,035	BERMUDA		



05-22-2024

PLAN

LANDSCAPE

SHEET NUMBER:

GENERAL LANDSCAPING NOTES 1. ALL LANDSCAPED AREAS OF THE SITE SHALL BE CONSTRUCTED WITH AN AUTOMATIC SPRINKLER IRRIGATION SYSTEM AS PART OF THE LANDSCAPING SUBCONTRACT.

2. GENERAL CONTRACTOR SHALL PROVIDE SCHEDULE 40 PVC SLEEVING 4" OR 6" UNDER ALL DRIVES AND PAVED AREAS FOR IRRIGATION SLEEVING SHALL BE BURIED A MINIMUM OF 18" BELOW GRADE AND THE ENDS OF THE SLEEVES CLEARLY MARKED BY THE GENERAL CONTRACTOR AND SHALL EXTEND OUT A MINIMUM OF 18" PAST ANY CURB OR PAVING. 3. PROVIDE 3" DEPTH OF MULCH IN ALL LANDSCAPED ISLANDS AND BEDS LOCATED ALONG THE BUILDING.


4. PROVIDE 3" DEPTH OF MULCH AND METAL EDGING FOR LANDSCAPE NOT ADJACENT TO THE BUILDING. 5. LANDSCAPED AREAS TO BE AMENDED WITH 4" OF TOPSOIL, SCARIFY SOIL 3" PRIOR TO APPLICATION. ALL TOP SOIL SHALL BE PLACED IN COORDINATION WITH GRADING AND DRAINAGE PLANS TO ENSURE THAT THE GRADING AND DRAINAGE DESIGN FOR THE SITE IS MAINTAINED AFTER BEING SODDED OR SEEDED. EXISTING SOIL FROM THE SITE CAN BE STOCK PILED AND REUSED AS LONG AS IT IS OF QUALITY THAT ENCOURAGES ADEQUATE GROWTH OF PLANTING MATERIAL. THE CONTRACTOR IS RESPONSIBLE FOR ANY

SOIL TESTING THAT MAY BE REQUIRED. 6. ALL DISTRUBED AREAS ARE TO BE SODDED OR SEEDED, FERTILIZED, AND WATERED.

> IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ALL EXISTING UTILITIES WHICH CONFLICT WITH PROPOSED IMPROVEMENTS SHOWN ON THE PLAN. AND/OR FEDERAL REGULATIONS GOVERNING SUCH OPERATIONS. REVISION: ALL UTILITIES OF ANY CONFLICTS PRIOR TO CONSTRUCTION. H. CONSTRUCTION SHALL NOT START ON ANY WATER UTILITY TIE-INS UNTIL FIBER OPTIC CABLE ON AND/OR ADJACENT TO THIS SITE WERE NOT LOCATED

ENGINEERING,

PHILLIP



LEGEND

DISTURBED AREA



UNDISTURBED AREA






DRAINAGE DIRECTION

NOTES (GENERAL):

- 1. SEE EROSION CONTROL DETAILS IN SWPPP FOR EROSION CONTROL FACILITIES.
- SEE SWPPP FOR INSTALLATION, MAINTENANCE, INSPECTION, AND RECORD KEEPING REQUIREMENTS. 3. CONTRACTOR SHALL SHOW EROSION CONTROL MEASURE ON SITE MAP.
- 4. EROSION AND SEDIMENT CONTROL STRUCTURES TO MEET SWPPP DETAILS APPENDIX D 5. INSTALL ROCK DITCH, CHECK, OR SAND BAG CHECKS AS NECESSARY TO PREVENT SCOUR UNTIL
- LANDSCAPING IS ESTABLISHED. 6. CONTRACTOR MUST PLACE SEDIMENT BASIN WITH SEDIMENT FENCE OUTLET FOR ANY SEDIMENT
- CONTAMINATED DEWATERING DISCHARGE.
- 7. FINAL SLOPE WILL BE SAME DIRECTION AS EXISTING SLOPE. 8. TEMPORARY STABILIZATION PRACTICES WILL NOT BE REQUIRED. WORK WILL BE CONTINUOUS AND DISTURBED
- AREA REVEGITATED IN A TIMELY MANNER. SEE SWPPP FOR SEEDING MIXES. PERMANENT STABILIZATION OF ALL DISTURBED AREAS ARE TO BE SEEDED, FERTILIZED, WATERED AND COVERED WITH STRAW
- UNLESS OTHERWISE NOTED ON PLANS TO BE HYDROSEEDED. 10. CONTRACTOR TO SHOW CONCRETE WASH OUT SUMP, ENTRANCE/EXIT PAD AND OTHER CONTROLS AS REQUIRED/NEEDED AS SWPPP
- SITE MAP IS UPDATED THROUGHOUT THE DURATION OF THE PROJECT. 11. STOCKPILING OF CONSTRUCTION SPOIL MATERIAL AT PARTICULAR LOCATIONS SHALL ONLY BE ALLOWED FOR A LIMITED TIME PERIOD, NOT TO EXCEED (6) MONTHS. PRIOR TO A FINAL INSPECTION OF THE GRADING PERMIT, THE FOLLOWING STANDARDS SHALL BE ACHIEVED FOR
- COMPLETION OF CONSTRUCTION:
 - a) DEVELOPMENT AND GRADING WITHIN THE DISTURBED AREA IS COMPLETE AND MATCHES PLANS AS APPROVED BY THE PLANNING
 - b) THE DISTURBED SOIL AREA IS OBSERVED TO HAVE 80% GRASS COVERAGE AND 100% STABILITY, AND c) NO SLOPES STEEPER THAN A 3:1 PITCH UNLESS OTHERWISE APPROVED IN WRITING BY THE DIRECTOR OF ENGINEERING, AND
- d) NOTICE OF VIOLATIONS ISSUED HAVE ALL CORRECTIVE ACTIONS APPROVED WITH AN INSPECTION REPORT SIGNED BY A REPRESENTATIVE OF THE DIRECTOR OF ENGINEERING, AND
- e) ALL HEAVY EQUIPMENT, STOCKPILES, AND CONSTRUCTION SITE MATERIALS HAVE BEEN REMOVED FROM THE CONSTRUCTION SITE.

ENGINEERING,



REVISION:

PHILLIP

PROJECT NUMBER:

05-22-2024

SWPPP

SHEET NUMBER: C1.6



OVERALL DRAINAGE

C1.7











ENGINEERING DOCUMENTS FOR DETAILED GRADING AND DRAINAGE OF THIS AREA OF THE SITE WILL BE SUBMITTED BY ARKANSAS REGISTERED CIVIL ENGINEERS.

REGISTOREY
ARCHITECT OF RECORD
ANDREW F. HICKS

OPOSED COMMERCIAL DEVELO

FOR SUMMERWOOD PARTNERS

andrew hicks architect

andrew hicks architect

m. 501-680-0789

o. 479-332-5050

Fayetteville, Arkansas 72701

www.andrewhicksarchitect.com

NO. DATE

NO.

NO.

NO.


NO.

ISSUE DATE: 2/27/2024









ARCHITECT OF RECORD ANDREW F. HICKS

3D View-EXTERIOR FRONT-5

2 3D View-EXTERIOR FRONT-1

AC102





6 3D View-EXTERIOR FRONT-2





2 3D VIEW-EXTERIOR REAR-2



ENGINEERING
DOCUMENTS FOR
DETAILED GRADING
AND DRAINAGE OF
THIS AREA OF THE
SITE WILL BE
SUBMITTED BY
ARKANSAS
REGISTERED CIVIL
ENGINEERS.

ISSUE DATE:2/27/2024
REVISIONS
NO. DATE

NO.

NO.

ARCHITECT OF RECORD ANDREW F. HICKS

AC103